



Supplement of

Changing the definition of treatment success alters treatment outcomes in periprosthetic joint infection: a systematic review and meta-analysis

Eytan M. Debbi et al.

Correspondence to: Alberto V. Carli (carlia@hss.edu)

The copyright of individual parts of the supplement might differ from the article licence.

Table S1: Search terms for each database regarding the 1-stage revisions

Database	Search Terms
<i>Pubmed/MedLine</i>	periprosthetic joint infection[tw] OR peri-prosthetic joint infection[tw] OR PJI[tw] OR Prosthesis-Related Infections[mesh] AND one-stage revision[tw] OR 1-stage revision[tw] OR single-stage revision[tw] OR one-stage exchange[tw] OR 1-stage exchange[tw] OR single-stage exchange[tw]
<i>Cochrane</i>	"periprosthetic joint infection":ti,ab,kw OR "peri-prosthetic joint infection":ti,ab,kw OR PJI:ti,ab,kw OR [mh "Prosthesis-Related Infections"] AND "one-stage revision":ti,ab,kw OR "1-stage revision":ti,ab,kw OR "single-stage revision":ti,ab,kw OR "one-stage exchange":ti,ab,kw OR "1-stage exchange":ti,ab,kw OR "single-stage exchange":ti,ab,kw
<i>Embase</i>	"periprosthetic joint infection":ti,ab,de,tn,kw OR "peri-prosthetic joint infection":ti,ab,de,tn,kw OR PJI:ti,ab,de,tn,kw OR 'periprosthetic joint infection'/exp AND 'one-stage revision'/exp OR "one-stage revision":ti,ab,de,tn,kw OR "1-stage revision":ti,ab,de,tn,kw OR "single-stage revision":ti,ab,de,tn,kw OR "one-stage exchange":ti,ab,de,tn,kw OR "1-stage exchange":ti,ab,de,tn,kw OR "single-stage exchange":ti,ab,de,tn,kw

Table S2: Search terms for each database regarding the 2-stage revisions

Database	Search Terms
<i>Pubmed/MedLine</i>	periprosthetic joint infection[tw] OR peri-prosthetic joint infection[tw] OR PJI[tw] OR Prosthesis-Related Infections[mesh] AND two-stage revision[tw] OR 2-stage revision[tw] OR two-stage exchange[tw] OR 2-stage exchange[tw]
<i>Cochrane</i>	"periprosthetic joint infection":ti,ab,kw OR "peri-prosthetic joint infection":ti,ab,kw OR PJI:ti,ab,kw OR [mh "Prosthesis-Related Infections"] AND "two-stage revision":ti,ab,kw OR "2-stage revision":ti,ab,kw OR "two-stage exchange":ti,ab,kw OR "2-stage exchange":ti,ab,kw
<i>Embase</i>	"periprosthetic joint infection":ti,ab,de,tn,kw OR "peri-prosthetic joint infection":ti,ab,de,tn,kw OR PJI:ti,ab,de,tn,kw OR 'periprosthetic joint infection'/exp AND 'two-stage revision'/exp OR "two-stage revision":ti,ab,de,tn,kw OR "2-stage revision":ti,ab,de,tn,kw OR "two-stage exchange":ti,ab,de,tn,kw OR "2-stage exchange":ti,ab,de,tn,kw